

INDEX MAPS.

T. 11 N., R. 6 E. 2nd Mer.

	155		155		154		154		154		153	
157	6	181	5	174	4	170	3	166	2	161	1	153
	180		180		174		170		165		161	
157	7	179	8	173	9	169	10	165	11	161	12	152
	179		179		173		169		165		160	
156	18	178	17	173	16	169	15	164	14	160	13	152
	178		177		172		168		164		159	
156	19	177	20	172	21	168	22	163	23	159	24	152
	177		176		172		167		163		159	
156	30	176	29	171	28	167	27	163	26	158	25	151
	175		175		171		166		162		158	
156	31	175	32	170	33	166	34	162	35	158	36	151
	150		150		150		149		149		149	

T. 12 N., R. 6 E. 2nd Mer.

	189		189		188		188		188		187	
191	6	214	5	208	4	204	3	200	2	195	1	187
	214		213		208		203		199		195	
191	7	213	8	207	9	203	10	199	11	195	12	186
	212		213		207		203		198		194	
190	18	212	17	206	16	202	15	198	14	194	13	186
	212		211		206		202		198		194	
190	19	211	20	206	21	202	22	197	23	193	24	186
	211		210		205		201		197		193	
190	30	210	29	205	28	201	27	197	26	192	25	185
	209		209		205		200		196		192	
189	31	209	32	204	33	200	34	196	35	192	36	185
	185		184		184		183		183		183	

The figures on the lines refer to the page.

Township Lines.

South Boundary, Var. 7° 15' E

West on the S. Boundary of Sec. 36

16.16 an Ash 19 in. dia.

21.03 a Do 30 " "

40.00 set of sec. port from which

an Ash 20 in. dia. bears N 22 E 2 Ms. dist. 8

an Elm 27 " " " S 57 W 12 " "

52.70 a Beech 18 " "

80.00 set port cor. of sec. 35 & 36 from which

an Ash 12 in. dia. bears S 36 W 12 Ms. dist. 8

a Beech 5 " " " N 33 W 33 " "

Over level land, timber Beech, Ash, Sugar & Upr. Spice, Pickly Ash, - Soil good

West on the S. Boundary of Sec. 35

13.15 a Sycamore 21 in. dia.

40.00 set of sec. port from which

a Swamp Ash 6 in. dia. bears S 67 W 28 Ms. dist. 8

a Beech 10 " " " N 59 E - " "

65.55 an Ash 36 " "

80.00 set port cor. of sec. 34 & 35 from which

a Beech 21 in. dia. bears N 79 E 8 Ms. dist. 8

an Elm 9 " " " S 11 E 2 " "

Level wet land, timber Ash, Beech, Elm, Oak, Hickory & Upr. Spice, Swamp Ash & Soil good

West on the S. Boundary of Sec. 34

10.35 an Elm 27 in. dia.

40.00 set of sec. port from which

a Beech 8 in. dia. bears S 47 W 11 Ms. dist. 8

a Do 7 " " " N 68 1/2 E 5 " "

46.20 a Do 24 " "

80.00 set port cor. of sec. 33 & 34 from which

T. 12 N., R. 6 E. 2^d Mer. Ind.^a

a Hackberry 6 in. diam. S 63 E 8 1/2 lbs. dist. 3
 an Ash 6 " " " N 26 W 15 " "
 Over level wet ground, timbered Beech, Ash, Elm &
 Wyr. Spice, Swamp Ash & rich soil

West on the S. Boundary of Sec. 33

12.80 a Beech 15 in. dia.

40.00 Set of sec. post from which

a Beech 9 in. diam. N 6 E 5 1/2 lbs. dist. 3

a Do 9 " " " S 44 1/2 W 17 " "

64.55 a Poplar 18 " "

80.00 Set post cor. of sec. 32 & 33 from which

a Blue Ash 9 in. diam. S 54 E 5 1/2 lbs. dist. 3

a B. Oak 6 " " " S 72 W 19 " "

Rolling land, soil good, timbered Beech, Ash, Poplar,
 Oak - Wyr. Spice, Beech

West on the S. Boundary of Sec. 32

34.80 a Beech 20 in. dia.

40.00 Set of sec. post from which

a Hickory 9 in. diam. N 50 W 5 lbs. dist. 3

a Beech 12 " " " S 59 E 26 " "

59.78 a Do 15 " "

68.72 Intersect left bank of Driftwood, set post from which

a Beech 12 in. diam. S 85 W 4 lbs. dist. 3

a Hickory 24 " " " S 34 E 10 " "

71.87 Set post on right bank of river from which (c. S W)

an Ash 9 in. dia. bears N 29 E 11 lbs. dist. 3

a Maple 6 " " " S 44 W 20 " "

80.00 Set post cor. of sec. 31 & 32 from which

a Buckeye 6 in. diam. S 16 E 10 lbs. dist. 3

a Span. Oak 20 " " " N 9 E 21 " "

First 1/2 mile gently rolling 1st rate land, Bluff on
 the river 20 feet perpendicular, last 1/2 mile low ground

T. 12 N., R. 6 E., S. Mer. Ind. a

timber Beech, Buckeye & Upr. Spruce. Rich soil

West on the S. Boundary of Sec. 31

13.25 a Lycamore 15 in. dia.

40.00 set g. sec. post from which

a Water Beech 7 in. dia bears S 36° W 5 lbs. dist. 8

a Blue Ash 9 " " " N 37° W 36 " "

84.33 to Township cor. June 25. 1819

East Boundary, Var. 7.00 E.

Bearings for cor. of T. 11 & 12 N., R. 6 & 7 E.

a Beech 12 in. dia bears S 17° E 17 lbs. dist. 8

a Do 9 " " " S 71° W 20 " "

North on the E. Boundary of Sec. 36

31.95 a Gum 27 in. dia.

40.00 set g. sec. post from which

a Hickory 6 in. dia bears S 51° E 6 lbs. dist. 8

a Beech 4 " " " N 55° W - " "

45.20 a Gum 24 " "

80.00 set post cor. of sect. 25 & 36 from which

an Ash 14 in. dia bears S 37° W 23 lbs. dist. 8

a Beech 12 " " " N 31° E 20 " "

Over level ground, Soil good, timber Beech, Oak,
Poplar & Upr. Spruce &c.

North on the E. Boundary of Sec. 25

19.60 a Beech 9 in. dia.

35.02 a W. Oak 20 " "

40.00 set g. sec. post from which

a Beech 20 in. dia bears S 39° W 32 lbs. dist. 8

a Do 12 " " " N 32° E 20 " "

61.16 a Do 9 " "

80.00 set post cor. of sect. 24 & 25 from which

a Beech 7 in. dia bears N 33° E 4 lbs. dist. 8

T. 12 N., R. 6 E. 2. Mer. Ind. a.

an Elm 24 in. diameter S 68 W 26 lbs. dist.

Over level ground, rich soil, timber Beech, Oak,
Ash & Upr. Spice &c.

North on the E. Boundary of Sec. 24

12.23 a Swamp Ash 22 in. dia.

40.00 set of sec. post from which

a Hickory 18 in. diameter S 12 W 30 lbs. dist. 8

a Beech 12 " " " N 52 W 42 " "

55.60 a Do 21 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 9 in. diameter S 36 E 21 lbs. dist. 8

a Hickory 12 " " " N 12 W 15 " "

Over level wet land, soil good, timber Swamp Ash,
Beech & Upr. Spice.

North on the E. Boundary of Sec. 13

- - a Spanish Oak 24 in. dia.

40.00 set of sec. post from which

a Beech 21 in. diameter N 5 E 17 lbs. dist. 8

a Do 12 " " " S 27 E 19 " "

67.42 a Do 10 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 9 in. diameter N 55 W 4 lbs. dist. 8

an Ash 9 " " " S 83 E 18 " "

Over level ground, soil good, timber Beech & Ash

North on the E. Boundary of Sec. 12

4.16 an Ash 21 in. dia.

40.00 set of sec. post from which

a Beech 9 in. diameter N 55 W 8 lbs. dist. 8

a Do 7 " " " S 62 E 10 " "

56.40 a Hickory 10 " "

80.00 set post cor. of sec. 1 & 12 from which

T. 12 N., R. 6 E. 2. Mer. Ind. a

a Beech 10 in. dia bears N49 W 10 lbs. dist. 8
 a Hickory 9 " " " N65 E 29 " "
 Over level land, timber Beech, Hickory, Ash &
 Upr. Spruce, Swamp Ash &

North on the E. Boundary of Sec. 1

24.12 a W. Oak 30 in. dia.

40.00 lot of sec. part from which

a Beech 10 in. dia bears N68 W 18 lbs. dist. 8

a Sugar 10 " " " N76 E 20 " "

56.09 lot part on left bank of Swiftwood R. from which

a Buckeye 10 in. dia bears S60 E 27 lbs. dist. 8

a Water Beech 4 " " " S86 W 4 " "

58.09 lot part on right bank of River from which

a Lycamore 15 in. dia bears S27 W 10 lbs. dist. 8

a Do 18 " " " S8 E 12 " "

66.90 a Blue Ash 20 in. dia.

72.58 lot part cor. of T. 12 N. 3. N. R. 6 E 7 E. from which

a Elm 12 in. dia bears N44 W 18 lbs. dist. 8

a Do 12 " " " S65 E 20 " "

(Description of land & omitted)

June 24. 1819

North Boundary. Var. 6. 45. E

West on the S. Boundary of Sec. 36, T. 13 N., R. 6 E

6.85 a Beech 27 in. dia.

40.00 lot of sec. part from which

a Buckeye 9 in. dia bears N50 E 18 lbs. dist. 8

a Blue Ash 4 " " " S3 W 27 " "

61.10 a Beech 21 " "

80.00 lot part cor. of Sec. 35 & 36 from which

a Beech 24 in. dia bears N44 W 8 lbs. dist. 8

a Do 7 " " " N62 E 9 " "

Gently rolling good farming land, timber Beech,

T. 12 N., R. 6 E. S. 1. Mo. Ind.^a

Ash, Elm, Walnut & Upr. Spice

West on the S. Boundary of Sec. 35, T 13 N, R 6 E

16.50 a Hickory 24 in. dia.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 13 W 26 lbs. dist. 8

a Do 21 " " " S 12 1/2 W 9 lbs. dist.

54.80 a Blue Ash 24 " "

80.00 set post cor. of sec. 34 & 35 from which

a Water beech 9 in. dia. bears N 24 E 16 lbs. dist. 8

a Beech 7 " " " N 45 W 45 " "

Level good farming land, timber Beech, Ash,
Hackberry, Walnut & Upr. Spice. Rich soil

West on the S. Boundary of Sec. 34, T 13 N, R 6 E

15.90 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Hackberry 9 in. dia. bears N 10 E 18 lbs. dist. 8

a Sugar 12 " " " S 31 W 14 " "

66.00 a Br. Oak 30 " "

80.00 set post cor. of sec. 33 & 34 from which

a Maple 10 in. dia. bears S 11 E 3 lbs. dist. 8

a Sycamore 6 " " " N 3 E 35 " "

Level land, rich soil, timber Beech, Hackberry,
Walnut & Upr. Spice, Pawpaw &

West on the S. Boundary of Sec. 33, T 13 N, R 6 E

4.50 a Creek 45 lbs. wide course SE

20.95 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Water Beech 6 in. dia. bears S 55 E 11 lbs. dist. 8

a Sugar 9 " " " N 66 W 21 " "

52.75 a Branch 6 lbs. wide course SE

60.00 a Beech 15 in. dia.

T. 12 N., R. 6 E. 2. Mer. Ind. a

80.00 set post cor. of sec. 32 & 33 from which
 a Beech 9 in. diameter S 39 W 5 1/2 lbs. dist. 8
 a Do 12 " " " N 76 E 9 " "
 Level land, soil good, timber Beech, Ash, Hick-
 -ory & Upr. Spice

West on the S. Boundary of Sec. 32, T 13 N, R 6 E

8.80 a Poplar 9 in. dia.

40.00 set of sec. post from which
 a Sugar 9 in. diameter S 2 E 20 lbs. dist. 8
 a Do 14 " " " N 43 E 29 " "

45.50 a W. Oak 15 " "

47.60 a Branch 7 lbs. wide corner S E

80.00 set post cor. of sec. 31 & 32 from which
 an Ash 9 in. diameter S 10 W 25 lbs. dist. 8
 a Walnut 12 " " " N 75 E 31 " "
 Level land, good soil, timber Beech, Willows,
 Sugar, Ash & Upr. Spice &c.

West on the S. Boundary of Sec. 31, T 13 N, R 6 E

4.80 a Sugar 12 in. dia.

40.00 set of sec. post from which
 a Poplar 8 in. diameter S 9 E 9 lbs. dist. 8
 a Do 5 " " " N 58 W 12 " "

80.00 to Township corner.

Level land, soil good, timber Beech, Ash,
 Elm; Upr. Spice, Plum &c. July 27. 1819

West Boundary. Var. 6. 10. E.

Bearing at cor. of T. 12 N, R. 5 & 6 E.

a Beech 9 in diameter West 30 lbs. dist. 8

a Do 8 " " " N 38 E 11 " "

North on the E. Boundary of Sec. 36, T 12 N, R 5 E

27.40 an Ash 14 in. dia.

T. 12 N., R. 6 E. T. Mer. Ind. a

40.00 set g. sec. post from which
 an Ash 12 in. diameter S 43° W 26 lbs. dist. 8
 a Do 7 " " " N 4° W 16 " "
 65.25 a Beech 12 " "
 80.00 set post cor. of sec. 25 & 36 from which
 an Ash 7 in. diameter N 74° W 8 lbs. dist. 8
 a Do 9 " " " S 19° E 14 " "
 Level land, soil good, timber Sugar, Beech, Ash &
 Upr. Spice, Briers

North on the E. Boundary of Sec. 25, T 12 N., R 5 E
 32.40 an Ash 15 in. dia.

40.00 set g. sec. post from which
 a Beech 15 in. diameter S 65° W 22 lbs. dist. 8
 an Elm 6 " " " N 82° E 11 " "

54.92 a Beech 15 " "

80.00 set post cor. of sec. 24 & 25 from which
 a Beech 13 in. diameter N 54° W 4 lbs. dist. 8
 a Do 18 " " " S 62° E 16 " "
 Level land, timber Beech, Ash, Elm & Upr. Spice,
 Soil good

North on the E. Boundary of Sec. 24, T 12 N., R 5 E
 22.50 an Ash 18 in. dia.

40.00 set g. sec. post from which
 a Beech 12 in. diameter N 35° W 6 lbs. dist. 8
 a Do 10 " " " S 75° E 16 " "

72.75 a Poplar 30 " "

80.00 set post cor. of sec. 13 & 24 from which
 a R. Oak 40 in. diameter S 28° E 11 lbs. dist. 8
 a W. Oak 12 " " " N 40° E 11 " "
 Level land, timber Oak, Elm, Hickory & Upr. Spice, Oak &c

North on the E. Boundary of Sec. 13, T 12 N., R 5 E

T. 12 N., R. 6 E. 2^d. Mer. Ind^a.

191

13.60 a Beech 10 in. dia.

40.00 set g. sec. post from which

a Beech 30 in. dia. bears S 89 E 20 lbs. dist. 8

an Ash 18 " " " S 62 W 17 " "

59.50 a Do 12 " "

80.00 set post cor. of Sect. 12 & 13 from which

a Beech 9 in. dia. bears S 52 E 11 lbs. dist. 8

a Do 15 " " " S 57 W 19 " "

Level land, timber Beech, Ash, Elm, Hickory & Upr. Spice, soil good

North on the E. Boundary of Sec. 12, T 12 N., R 5 E

24.65 an Ash 10 in. dia.

40.00 set g. sec. post from which

an Ash 15 in. dia. bears N 89 E 10 lbs. dist. 8

a Hickory 12 " " " S 31 W 20 " "

54.15 a Swamp Ash 15 in. dia.

80.00 set post cor. of Sect. 14 & 12 from which

a Beech 10 in. dia. bears S 35 E 16 lbs. dist. 8

a Hickory 9 " " " S 64 W 10 " "

Level land, timber Oak, Ash, Beech & Upr. Spice, Oak &c.

North on the E. Boundary of Sec. 1, T 12 N., R 5 E

9.10 a Beech 10 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears N 23 W 11 lbs. dist. 8

a Do 12 " " " S 29 W 20 " "

58.70 an Ash 12 " "

74.35 set post cor. of T. 12 & 13 N., R. 5 & 6 E. from which

a Hickory 12 in. dia. bears S 29 W 32 lbs. dist. 8

a Beech 10 " " " N 30 E 31 " "

Level land, soil good, timber Beech, Oak, Ash, Sugar & Upr. Spice & Oak

T. 12 N., R. 6 E. S. 1 Mer. Ind.^a

Surveyed in 1819 by John M. Donald.
Dep. Surveyor.

Subdivision. Var. 7 ⁰⁰ ' E.	
North	between Sec. 35 & 36, T 12 N, R 6 E.
24.70	a Beech 15 in. dia.
40.00	set of sec. post from which a Beech 12 in. dia. bears S 88 E 19 lbs. dist. .8 a Do 9 " " " S 45 W 20 " " 54.90 a Do 15 " " 80.00 set post cor. of sec. 25, 26, 35 & 36 from which a Maple 14 in. dia. bears N 8 E 7 lbs. dist. .8 a Do 14 " " " S 89 W 19 " " Land level 3 ^d rate, timber Beech, Ash, Maple & Wyl. Spice, Ash &c.
East	on Random between Sec. 25 & 36
40.00	set temp. g. sec. post
80.88	Intersect E Boundary 87 lbs. N. of post— Land level 3 ^d rate, timber Ash, Beech, Oak, Hickory &c. Wyl. Spice &c.
West	Corrected between Sec. 25 & 36
12.76	an Ash 30 in. dia.
40.44	set g. sec. post at aver. dist. from which a Beech 20 in. dia. bears S 32 W 3 lbs. dist. .8 a Do 4 " " " N 10 E 23 " " 63.38 an Elm 20 " " 80.88 to sec. corner.
North	between Sec. 25 & 26
7.80	a Beech 16 in. dia.
40.00	set g. sec. post from which an Ash 10 in. dia. bears N 5 W 16 lbs. dist. .8

T. 12 N., R. 6 E., 2^d Mer. Ind.^a

a Thorn bush 4 in. dia. bears S 26° W 17 lbs. dirt.

57.73 a Hickory 14 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a R. Oak 36 in. dia. bears N 50° E 14 lbs. dirt. 8

a Hickory 16 " " " S 54° W 32 " "

Land level 3^d rate, timber Ash, Beech, Oak &

Upr. Spruce &

East on Random between Sec. 24 & 25

40.00 set temp. g. sec. post

81.75 Intersect E. Boundary 15 lbs. N. of post -

Land level 3^d rate, timber Ash, Beech, Oak, Hickory

Upr. Spruce &

West Corrected between Sec. 24 & 25

1.86 a Beech 20 in. dia.

40.87 set g. sec. post at aver. dirt. from which

a Hickory 18 in. dia. bears N 89° W 39 lbs. dirt. 8

an Ash 9 " " " S 47° E 8 " "

64.38 an Oak 26 " "

81.75 to sec. cor.

North between Sec. 23 & 24

16.86 a Beech 28 in. dia.

40.00 set g. sec. post from which

a Sugar 6 in. dia. bears N 4° E 8 lbs. dirt. 8

a Beech 10 " " " S 6° W 31 " "

70.05 a Gum 14 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a Bur Oak 27 in. dia. bears S 37° W 22 lbs. dirt. 8

a Water Beech 5 " " " N 39° W 5 " "

Land level 3^d rate, timber Ash, Beech & Hickory

Upr. Spruce &

194

T. 12 N., R. 6 E. 2.^o Mer. Ind.^a

East on Random between Sec. 13 & 14

40.00 set temp. g. sec. port

82.50 Intersect E. Boundary 10 lbs. N. of port -

Land level 3.^o rate, timber Beech, Ash, Oak & Hickory
Upr. Spice &c.

West corrected between Sec. 13 & 14

11.25 a Beech 18 in. dia.

41.25 set g. sec. port at aver. dist. from which
a Beech 4 in. dia. bears N 27 E 16 lbs. dist. 8

a Do 30 " " " S 21 E 23 " "

82.50 to sec. cor.

North between Sec. 13 & 14

9.50 a W. Oak 30 in. dia.

40.00 set g. sec. port from which

a Beech 10 in. dia. bears S 66 E 23 lbs. dist. 8

a Hickory 10 " " " N 52 W 17 " "

55.38 a Blue Ash 15 in. dia.

80.00 set port cor. of sec. 11, 12, 13 & 14 from which

a Beech 4 in. dia. bears S 77 E 9 lbs. dist. 8

a Do 30 " " " S 86 W 28 " "

Land level, timber Beech, Ash, Oak &c. Spice &c.

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. port

82.19 Intersect E. Boundary at port -

Land level 3.^o rate, timber Beech, Ash, Oak &c.
Upr. Spice &c.

West corrected between Sec. 12 & 13

11.70 an Ash 13 in. dia.

41.09 set g. sec. port at aver. dist. from which

an Ash 10 in. dia. bears N 65 E 6 lbs. dist. 8

T. 12 N., R. 6 E. 2^d Mer. Ind. 2^d

a Beech 6 in. dia. bears S 54° W 50 ft. dist.
 65.19 an Ash 14 " "
 82.19 to sec. cor.

North between Sec. 11 & 12

17.62 an Elm 30 in. dia.
 40.00 set g. sec. post from which
 a B. Ash 10 in. dia. bears N 46° E 24 ft. dist. 3
 a Water Beech 4 " " S 76° W 13 " "
 58.77 a Hickory 18 " "
 80.00 set post cor. of sec. 11, 12, 11 & 12 from which
 a Beech 6 in. dia. bears N 57° E 22 ft. dist. 3
 a Do 10 " " West 30 " "
 Sand level 2^d rate, timber Ash, Oak, Beech &
 Wyr. Spice &

East on Random between Sec. 1 & 12

40.00 set temp. g. sec. post
 82.18 Intersect E. Boundary 41 ft. E. of post -
 Sand level 2^d rate, timber Ash, Oak, Beech &
 Wyr. Spice &

West Corrected between Sec. 1 & 12

3.43 an Ash 20 in. dia.
 41.09 set g. sec. post at aver. dist. from which
 a Beech 14 in. dia. bears S 21° W 16 ft. dist. 3
 a Sugar 5 " " N 20° W 18 " "
 42.48 a Beech 12 " "
 82.18 to sec. cor.

North between Sec. 1 & 2

9.50 an Ash 30 in. dia.
 40.00 set g. sec. post from which
 a Beech 10 in. dia. bears S 18° E 18 ft. dist. 4

T. 12 N., R. 6 E. S. 3. Mer. Ind. a

an Oak 30 in. dia. bears N 49 W 3 lbs. dist.

53.40 a Buckeye 18 " "

65.60 a Stream 200 lbs. wide course W

74.82 Intersect N. Boundary 150 lbs. W. of port -
set port at intersection cr. of sec. 1 & 2 from which

an Elm 18 in. dia. bears N 64 W 13 lbs. dist. 8

a Spruce 10 " " S 62 E 20 " "

Land level 3. rate, timber Ash, Beech & Oak &c.

Upr. Spruce &c. October 9. 1819

North between Sec. 34 & 35

25.46 a Beech 14 in. dia.

40.00 set g. sec. port from which

a Hickory 18 in. dia. bears S 87 E 28 lbs. dist. 18

an Elm 12 " " S 80 W 22 " "

51.19 a Hickory 20 " "

80.00 set port cr. of sec. 26, 27, 34 & 35 from which

an Oak 20 in. dia. bears N 51 W 4 lbs. dist. 8

a Hickory 12 " " S 76 E 31 " "

Land level 3. rate, timber Beech, Ash, Oak

Upr. Spruce, Ash

East in Random between Sec. 26 & 35

40.00 set temp. g. sec. port

50.00 enter a Swamp

52.70 leave the " "

82.43 Intersect N. G. line 98 lbs. S. of port -

Land level 3. rate, timber Ash, Beech, Poplar,

Upr. Spruce, Ash &c.

West corrected between Sec. 26 & 35

13.48 a W. Oak 30 in. dia.

41.21 set g. sec. port at aver. dist. from which

a Sugar 6 in. dia. bears S 21 W 8 lbs. dist. 8

T. 12 N., R. 6 E. 2. Mer. Ind. a.

a Sugar 12 in. dia. bears N 39 1/2 E 21 Ms. dist.
 64.97 a Beech 12 " "
 82.43 to sec. cor.

North between Sect. 26 & 27

26.83 an Ash 30 in. dia.
 40.00 set of sec. port from which
 a Poplar 18 in. dia. bears N 69 1/2 E 21 Ms. dist 3
 a Beech 10 " " S 78 1/2 W 39 " "
 54.52 a Dr 30 " "
 80.00 set port cor. of sect. 22, 23, 26 & 27 from which
 an Ash 15 in. dia. bears S 47 E 20 Ms. dist 3
 an Oak 12 " " N 57 W 19 " "
 Land level 3. rate, timber Beech, Ash, Oak; Spice

East on Random between Sect. 23 & 26

40.00 set temp. of sec. port
 82.65 Intersect N & S. line 7 Ms. E. of port -
 Land level 3. rate, timber Beech, Ash, Oak, Hickory
 Ulp. Spice 4.

West corrected between Sect. 23 & 26

17.19 a Beech 14 in. dia.
 41.37 set of sec. port at aver. dist. from which
 an Ash 7 in. dia. bears S 39 E 28 Ms. dist 3
 a Dr 6 " " N 56 W 19 " "
 65.86 a Beech 20 " "
 82.65 to sec. cor.

North between Sect. 22 & 23

32.95 a Beech 6 in. dia.
 40.00 set of sec. port from which
 a W. Oak 14 in. dia. bears S 74 E 26 Ms. dist 3
 an Ash 24 " " N 8 W 33 " "

T. 12 N., R. 6 E. 2. Mer. Ind.^a

71.68 a Beech 12 in. dia.

80.00 set port cn. of Sec. 14, 15, 22 & 23 from which
 a Beech 8 in. dia. bears S 49 W 26 lbs. dist. 8
 at Water Beach 6 " " " N 7 E 15 " "
 Land level 3^d rate, timber Beech, Oak, Ash, Sugar
 & Upr. Spice

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. port

81.97 Intersect N & S. line 89 lbs. S. of port -
 Land level 3^d rate, timber Beech, Ash, Oak; Spice

West connected between Sec. 14 & 23

13.60 a Beech 14 in. dia.

40.98 set g. sec. port at area. dist. from which
 an Ash 10 in. dia. bears East 21 lbs. dist. 8
 a Do 10 " " " S 83 W 36 " "

51.35 a Do 18 " "

81.97 to sec. cn. October 7. 1819

North between Sec. 14 & 15

27.08 an Oak 48 in. dia.

40.00 set g. sec. port from which
 a Beech 12 in. dia. bears S 52 W 15 lbs. dist. 8
 a Do 10 " " " N 3 1/2 E 22 " "

62.54 an Oak 30 " "

80.00 set port cn. of Sec. 10, 11, 14 & 15 from which
 a Beech 16 in. dia. bears S 49 E 23 lbs. dist. 8
 a Do 30 " " " N 6 E 22 " "
 Land level 2^d rate, timber Beech, Ash, Sugar, Oak
 Upr. Spice &

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. port

T. 12 N., R. 6 E. 2. Mer. Ind.

80.67 Intersect N & S. line 28 lbs. S. of post—
Land level 2. rate, timber Beech, Ash, Sugar;
Uls. Spice

West Connected between Sec. 11 & 14

7.70 on Ash 12 in. dia.

40.33 1/2 set g. sec. post at aver. dist. from which
a Beech 12 in. dia. bears N 4 E 17 lbs. dist. 8,
a Dec 12 " " " S 46 W 26 " "

60.49 a Sugar 12 " "

80.67 to sec. cor.

North between Sec. 10 & 11

29.33 a Beech 15 in. dia.

40.00 set g. sec. post from which
a Beech 14 in. dia. bears S 3 E 16 lbs. dist. 8,
a Cherry 3 " " " N 49 W 31 " "

55.11 on Oak 15 " "

80.00 set post cor. of Sec. 2, 3, 10 & 11 from which
an Ash 15 in. dia. bears S 47 E 9 lbs. dist. 8,
a Beech 30 " " " N 80 W 48 " "
Land level 2. rate, timber Walnut, Beech, Ash,
Sugar; Uls. Spice &c.

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post

79.28 Intersect N & S. line 21 lbs. S. of post—
Land level 2. rate, timber Beech, Ash, Sugar, Spice

West Connected between Sec. 2 & 11

8.62 a Sugar 15 in. dia.

39.64 set g. sec. post at aver. dist. from which
a Beech 10 in. dia. bears N 47 W 7 lbs. dist. 8,
a Dec 10 " " " South 24 " "

T. 12 N., R. 6 E. 2^d Mer. Ind. 2.

66.60 a Beech 14 in. dia.

79.28 to sec. cor.

North between Sec. 2 & 3

25.24 an Ash 12 in. dia.

40.00 set g. sec. post from which

a Hackberry 15 in. dia. bears S 5 E 3⁴ M. dist 2

a Buckeye 10 " " " N 15 E 14 " "

48.50 a Stream 150 M. wide course W

54.68 a Hickory 10 in. dia.

74.87 Intersect N. Boundary 166 M. E. of post -

set post at intersection cor. of Sec. 2 & 3 from which

a Buckeye 10 in. dia. bears S 80 E 18 M. dist 18

a Beech 8 " " " N 64 E 30 " "

Land level 2^d rate, timber Beech, Ash, Sugar, Walnut
Hackberry; Upr. Spice October 9, 1819

North between Sec. 33 & 34

20.39 an Ash 26 in. dia.

40.00 set g. sec. post from which

a Maple 18 in. dia. bears S 74 E 12 M. dist 18

a Sweet Gum 7 " " " N 80 W 16 " "

63.70 a Bur Oak 30 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Poplar 30 in. dia. bears N 48 E 30 M. dist 18

a Walnut 18 " " " S 66 W 19 " "

Land level 3^d rate, timber Ash, Beech, Gum, Oak
& Upr. Spice &

East on Random between Sec. 27 & 34

40.00 set temp. g. sec. post

78.95 Intersect N. & S. line at post -

Land level 3^d rate, timber Ash, Beech, Oak, Elm &
Upr. Spice &

T. 12 N., R. 6 E. S. 1 Mer. Ind.?

West marked between Sec. 27 & 34

6.18 a Poplar 20 in. dia.

39.47 set g. sec. post at aver. dist. from which
a Water Beech 4 in. dia. bears N 58 E 20 lbs. dist. 8
an Ash 4 " " " S 54 W 20 " "

70.33 an Oak 20 " "

78.95 to sec. cor.

North between Sec. 27 & 28

6.38 a W. Oak 60 in. dia.

40.00 set g. sec. post from which
a Beech 10 in. dia. bears N 86 E 24 lbs. dist. 8
a Do 20 " " " N 81 W 24 " "

62.00 a R. Oak 48 " "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which
an Elm 10 in. dia. bears N 33 E 9 lbs. dist. 8
a Beech 5 " " " S 16 E 8 " "
Land level 2. rate, timber Ash, Oak, Beech &
W. Spruce

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. post

79.15 Intersect N. & S. lines 20 lbs. N. of post -
Land level 2. rate, timber Ash, Beech, Oak, Sugar
& W. Spruce &

West Carried between Sec. 22 & 27

17.80 a Poplar 20 in. dia.

39.57 set g. sec. post at aver. dist. from which
a Beech 10 in. dia. bears S 64 W 30 lbs. dist. 8
a Do 10 " " " N 79 E 20 " "

70.75 a Sugar 24 " "

79.15 to sec. cor.

T. 12 N., R. 6 E. 3. Mer. Ind.?

North between Sec. 21 & 22

15.76 an Ash 18 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears S 60 E 5 lbs. dist. 8

a Dogwood 4 " " " N 71 W 23 " "

55.12 a Beech 30 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a Beech 7 in. dia. bears N 45 W 6 lbs. dist. 8

a Do 5 " " " S 80 E 8 " "

Land level 3. rate, timber Oak, Beech & Upr.
Spice, Ash &

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. post

81.00 Intersect N & S line 86 lbs. N. of post -

Land level 3. rate, timber Beech, Ash, Oak &
Upr. Spice &

West Corrected between Sec. 15 & 22

8.01 an Ash 18 in. dia.

40.50 set g. sec. post at aver. dist. from which

a W. Oak 18 in. dia. bears S 26 E 3 lbs. dist. 8

a Sugar 10 " " " N 15 W 14 " "

71.15 a Beech 20 " "

81.00 to sec. cor.

North between Sec. 15 & 16

12.63 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Buckeye 9 in. dia. bears S 60 E 13 lbs. dist. 8

a Do 5 " " " S 81 W 24 " "

51.90 a Beech 20 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Hickory 4 in. dia. bears N 69 E 7 lbs. dist. 8

T. 12 N., R. 6 E., S. 2. Mer. Ind.?

an Elm 14 in. diameter N58W 15 lbs. dirt.

Level 2^d rate, timber Ash, Sugar, Elm, some Walnut & Upr. Spice &c.

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post

82.70 Intersect N & S. line 60 lbs. N. of post -

Land level 2^d rate, timber Ash, Beech, Sugar & Upr. Spice &c.

West Connected between Sec. 10 & 15

40.92 an Ash 26 in. dia.

41.35 set g. sec. post at aver. dirt. from which

a Hackberry 20 in. diameter S51W 10 lbs. dirt. &

a Buckeye 10 " " " N76E 11 " "

75.60 a Sycamore 5 " "

82.70 to sec. cor.

North between Sec. 9 & 10

12.12 a Beech 20 in. dia.

40.00 set g. sec. post from which

an Ash 6 in. diameter South 47 lbs. dirt. &

a Do 10 " " " N12W 39 " "

57.88 a Do 18 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

an Ash 6 in. diameter S5E 44 lbs. dirt. &

a Do 10 " " " N42W 28 " "

Level 2^d rate, timber Beech, Ash, Buckeye, Hackberry & Upr. Spice &c.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

82.50 Intersect N & S. line at post -

Land level 1st rate, timber Ash, Beech, Walnut,

T. 12 N., R. 6 E. S. 1 Mer. Ind.?

Buckeye & Upr. Spice, Ash &

West Connected between Sec. 3 & 10

8.94 a Hackberry 24 in. dia.

41.25 set of sec. part at the aver. dist. from which
a Hawthorn 4 in. dia. bears N 85 E 21 lbs. dist. 8
a Buckeye 8 " " " S 50 W 4 " "

82.50 to sec. cor.

North between Sec. 3 & 4

9.50 a Walnut 24 in. dia.

36.50 a Stream 150 lbs. wide course NW

40.00 set of sec. part from which
a Buckeye 10 in. dia. bears N 4 E 45 lbs. dist. 8
a Hackberry 30 " " " S 17 W 12 " "

55.91 an Ash 22 " "

75.63 Intersect N. Boundary 52 lbs. NW of part -
set part at intersection cor. of sec. 3 & 4 from which
a Boxelder 20 in. dia. bears N 55 E 23 lbs. dist. 8
a Hackberry 10 " " " S 45 W 27 " "
Land level 2 rods, timbered Ash, Walnut, Hackberry &
Upr. Spice &

North between Sec. 32 & 33

21.70 a Gum 36 in. dia.

40.00 set of sec. part from which
an Oak 15 in. dia. bears N 54 E 6 lbs. dist. 8
a Sugar 8 " " " West - " "

47.52 a Poplar 16 " "

80.00 set part cor. of sec. 28, 29, 32 & 33 from which
a Beech 24 in. dia. bears N 45 E 17 lbs. dist. 8
a Sugar 10 " " " N 88 W 28 " "
Land level 2 rods, timbered Beech, Ash, Oak, Spice &

T. 12 N., R. 6 E., S. 1 Mer. Ind. ^a

East on Random between Sec. 28 & 33

40.00 set temp. g. sec. port

79.73 Intersect N. & S. line 127 lbs. S. of port -

Land level 2^d rate, timber Beech, Ash, Poplar, Oak
Upr. Spice &c.

West Connected between Sec. 28 & 33

5.30 a Beech 9 in. dia.

39.86 1/2 set g. sec. port at aver. dist. from which

a Poplar 40 in. dia. bears S 83° W 28 lbs. dist. 8

a Sugar 15 " " " N 63° E 25 " "

53.64 a R. Oak 36 " "

79.73 to sec. cor.

North between Sec. 28 & 29

21.37 a W. Oak 48 in. dia.

40.00 set g. sec. port from which

a Sugar 4 in. dia. bears N 29° W 22 lbs. dist. 8

a Beech 16 " " " S 48° E 39 " "

75.42 a R. Oak 36 " "

80.00 set port cor. of sec. 20, 21, 28 & 29 from which

a Hickory 12 in. dia. bears S 68 1/2° E 14 lbs. dist. 8

an Elm 14 " " " S 38° W 9 " "

Land level 2^d rate, timber Beech, Ash, Oak,
Poplar, Walnut, Upr. Spice &c.

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. port

80.46 Intersect N. & S. line 29 lbs. S. of port -

Land level 2^d rate, timber Beech, Ash, Walnut,
Oak; Upr. Spice &c.

West Connected between Sec. 21 & 28

14.50 a Gum 10 in. dia.

T. 12 N., R. 6 E. 2^d Mer. Ind.^a

40.23 Set g. sec. part at over. dit. from which
 a Beech 4 in. diam. bears N 68 W 4 Ms. dit. 3
 a Do 4 " " " S 74 E 15 " "
 68.21 a R. Oak 48 " "
 80.46 to sec. cr.

North between Sec. 20 & 21

24.07 an Elm 15 in. dia.
 40.00 Set g. sec. part from which
 a Hickory 18 in. diam. bears South 4 Ms. dit. 28
 an Oak 12 " " " N 42 E 11 " "
 40.82 a Bayou 50 Ms. wide
 53.81 a Buckeye 12 in. dia.
 80.00 Set part cr. of sec. 16, 17, 20 & 21 from which
 a Boxelder 9 in. diam. bears S 13 W 34 Ms. dit. 8
 a Hackberry 3 " " " N 2 E 34 " "
 Land level 2 rods, timber Beech, Ash, Walnut,
 Buckeye; Upr. Spice, Pawpaw &c.

East on Pradon between Sec. 16 & 21

40.00 Set temp. g. sec. part
 81.29 Inland N & S line at post—
 Land level 2 rods, timber Beech, Ash, Buckeye, Hack-
 berry, Walnut &c. Upr. Spice, Pawpaw

West Corrected between Sec. 16 & 21

4.23 a Sugar 36 in. dia.
 40.64 Set g. sec. part at over. dit. from which
 an Ash 30 in. diam. bears N 45 E 12 1/2 Ms. dit. 3
 a Sugar 30 " " " S 23 W 21 " "
 63.29 an Ash 36 " "
 81.29 to sec. cr.

North between Sec. 16 & 17

T. 12 N., R. 6 E. 2. Mer. Ind.^a

- 3.50 a Stream 150 lbs. wide course W
 19.94 a Lycamore 24 in. dia.
 40.00 set g. sec. post from which
 a Redhaw 6 in. dia. bears S 22 E 2 lbs. dist. 3
 a Hickory 18 " " " N 34 W 31 " "
 52.46 a Sugar 28 " "
 80.00 set post cor. of sec. 8, 9, 16 & 17 from which
 an Elm 3 in. dia. bears N 75 W 12 lbs. dist. 3
 an Ash 4 " " " S 14 W 21 " "
 Land level 2. rate, timber Beech, Ash, Buckeye,
 Walnut, Hackberry; Upr. Spice, Pawpaw

East on Random between Sec. 9 & 16

- 14.50 a Bayou 40 lbs. wide course S W
 40.00 set temp. g. sec. post
 58.00 a Stream 150 lbs. wide course S
 82.00 Intersect N. & S. line 36 lbs. N. of post -
 Land level 2. rate, timber Beech, Sugar, Ash, Buck-
 eye & Upr. Spice, Pawpaw &

West Connected between Sec. 9 & 16

- 4.10 an Oak 36 in. dia.
 41.00 set g. sec. post at aver. dist. from which
 a Hackberry 12 in. dia. bears N 81 W 5 lbs. dist. 3
 a Do 16 " " " S 71 E 17 " "
 69.24 an Elm 48 " "
 82.00 to sec. cor.

North between Sec. 8 & 9

- 14.98 a Cherry 12 in. dia.
 40.00 set g. sec. post from which
 a Beech 15 in. dia. bears S 85 1/2 E 34 lbs. dist. 3
 a Do 20 " " " S 82 W 23 " "
 49.94 an Ash 22 " "

T. 12 N., R. 6 E. T. Mer. Ind.^a

80.00 set port cor. of sec. 4, 5, 8 & 9 from which
 a Sugar 15 in diameter S 87 1/2° E 70 ft. dist. &
 a Do 14 " " " N 67° W 9 " "
 Land level 2^d rate, timber Beech, Ash, Sugar, Walnut
 & Upr. Spice &c. Oct. 11. 1819

East on Random between Sec. 4 & 9

40.00 set temp. of sec. port

64.00 a Stream 150 ft. wide course S

81.45 Intersect N. & S. line 87 ft. N. of port -

Land level 2^d rate, timber Beech, Ash, Sugar, Buckeye
 Upr. Spice &c.

West Connected between Sec. 4 & 9

3.95 a Buckeye 12 in. dia.

40.72 set of sec. port at aver. dist. from which

a Elm 4 in. dia. bears N 17 1/2° W 8 ft. dist. &

a Beech 15 " " " S 34° W 20 " "

61.45 a Do 30 " "

81.45 to sec. cor.

North between Sec. 4 & 5

31.26 a Hickory 10 in. dia.

40.00 set of sec. port from which

a Hickory 20 in. diameter S 39° E 4 ft. dist. &

a Beech 12 " " " N 68° W 4 " "

61.39 a Do 26 " "

75.87 Intersect N. Boundary 38 ft. N. of port -

set port at intersection cor. of sec. 4 & 5 from which

a Beech 30 in. diameter S 40 1/2° W 15 ft. dist. &

a Do 15 " " " N 68 1/2° E 27 " "

Land level 2^d rate, timber Beech, Ash, Sugar, Upr.
 Spice &c. October 12. 1819

T. 12 N., R. 6 E. 2^d Mer. Ind.

North between Sec. 31 & 32

36.50 an Elm 20 in. dia.

40.00 set g. sec. post from which

a Hackberry 18 in. dia. bears N 15° W 15 lbs. dist. 8

a Do 10 " " " S 20° W 38 " "

60.66 a Beech 30 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a Beech 4 in. dia. bears S 3° E 8 lbs. dist. 8

a Do 10 " " " N 23° E 13 " "

Land level 2^d rate, timber Hackberry, Beech, Sugar
V. Uls. Spice V.

East on Random between Sec. 29 & 32

18.00 a Stream 200 lbs. wide course S

40.00 set temp. g. sec. post

81.50 Intersect N & S line 77 lbs. N. of post -

Land level 2^d rate, timber Ash, Hackberry, Beech,
Buckeye V. Uls. Spice

West corrected between Sec. 29 & 32

12.10 a Gum 28 in. dia.

40.75 set g. sec. post at aver. dist. from which

a Bur Oak 60 in. dia. bears S 9° E 29 lbs. dist. 8

a Buckeye 10 " " " N 39° W 39 " "

65.30 a B. Walnut 30 " "

81.50 to sec. cor.

West between Sec. 30 & 31

11.00 a Beech 20 in. dia.

15.00 enter a Swamp

30.50 leave the "

40.00 set g. sec. post from which

a Beech 30 in. dia. bears N 30° E 8 lbs. dist. 8

a Do 10 " " " S 20° E 8 " "

T. 12 N., R. 6 E. 2. Mer. Ind. a

47.32 an Ash 18 in. dia.

82.00 Intersect W. Boundary 30th. N. of port -
set port at intersection cor. of sec. 30 & 31 from which
an Oak 60 in. dia. bears N 12° W 14 th. dist. 8
an Ash 4 " " " S 33° E 14 " "
Land level 2nd rate, timber Beech, Oak, Elm &
Upr. Spice &

North between Sec. 29 & 30

13.19 an Ash 20 in. dia.

40.00 set g. sec. port from which
an Ash 14 in. dia. bears N 79° E 18 th. dist. 8
a Beech 20 " " " S 81° W 27 " "

80.00 set port cor. of sec. 19, 20, 29 & 30 from which
a Hackberry 14 in. dia. bears N 78° E 12 th. dist. 8
a Hickory 26 " " " S 50° W 14 " "
Land level 2nd rate, timber Ash, Beech, Hickory &
Upr. Spice &

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. port

41.00 a Stream 200 th. wide runs S

80.69 Intersect N. S. line 27 th. N. of port -
Land level 2nd rate, timber Beech, Ash, Hackberry,
Buckeye, Walnut & Upr. Spice &

West Boundary between Sec. 20 & 29

20.10 an Ash 9 in. dia.

40.34 set g. sec. port at aver. dist. from which
a Hackberry 20 in. dia. bears S 70° E 14 th. dist. 8
a Do 5 " " " S 79° W 43 " "

67.06 a W. Oak 60 " "

80.69 to sec. cor.

T. 12 N., R. 6 E., S. 2. Mer. Ind. a

West Between Sec. 19 & 20

15.08 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a Hickory 10 in. diameter N 26 E 12 ft. dist. 8

an Elm 30 " " " S 26 E 18 " "

56.70 a Hickory 20 " "

80.00 set post W. boundary at post -

Land level 3. rate, timber Ash, Beech, Hickory &

Upr. Spruce &

North between Sec. 19 & 20

18.27 a R. Oak 30 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. diameter S 62 E 3 ft. dist. 8

a Do 30 " " " N 53 W - " "

54.90 an Ash 26 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

a Beech 10 in. diameter S 86 W 11 ft. dist. 8

a Do 9 " " " N 56 E 48 " "

Land level 3. rate, timber Ash, Beech, R. Oak,
Sugar & Upr. Spruce &

East on Random between Sec. 17 & 20

63.80 a Stream 200 ft. wide course S.

40.00 set temp. g. sec. post

80.00 Intersect N. S. line 55 ft. N. of post -

Land level 2. rate, timber Ash, Oak, Beech,
Sugar & Upr. Spruce &

West Connected between Sec. 17 & 20

11.84 a Blue Ash 20 in. dia.

40.00 set g. sec. post at aver. dist. from which

an Ash 9 in. diameter N 55 W 19 ft. dist. 8

a - 12 " " " S 31 E 44 " "

T. 12 N., R. 6 E. 2. Mer. Ind.?

62.00 a —

80.00 to sec. cor.

West between Sec. 18 & 19

23.64 a Beech 18 in. dia.

40.00 set g. sec. post from which

a R. Oak 20 in. dia. bears N 44 E 25 lbs. dist. 8

a Beech 7 " " " S 43 W 3 " "

62.99 a Bur Oak 30 " "

78.89 Intersect W. Boundary 60 lbs. S. of post —

set post at intersection cen. of sec. 18 & 19 from which

an Ash 18 in. dia. bears N 11 E 30 lbs. dist. 8

a Su 5 " " " S 3 W 19 " "

Land level 2 rods, timber Beech, Ash, Hickory,
Oak & Upr. Spice, Hazel &c.

North between Sec. 17 & 18

13.00 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Sugar 20 in. dia. bears N 23 E 9 lbs. dist. 8

a Bl. Ash 18 " " " S 5 W 36 " "

48.50 a Hickory 15 " "

80.00 set post cen. of sec. 7, 8, 17 & 18 from which

a Dogwood 4 in. dia. bears S 64 W 29 lbs. dist. 8

a Beech 6 " " " N 64 E 20 " "

Land level 2 rods, timber Ash, Beech, Oak, Wicke-
-ory - Upr. Spice &c.

West between Sec. 7 & 18

20.73 a Hickory 20 in. dia.

40.00 set g. sec. post from which

a Beech 30 in. dia. bears S 77 W 9 lbs. dist. 8

a Hickory 10 " " " N 87 E 29 " "

58.77 an Ash 18 " "

T. 12 N., R. 6 E., S. Mer. Ind.?

79.34 Intersect W. Boundary at port -
 Sand level 3^d rate, timber Ash, Beech, Hickory
 & Upr. Spruce, Ash &c.

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. port

79.50 Intersect N. S. line 144th M. S. of port -
 Sand 3^d rate, timber Ash, Beech, Hackberry,
 Buckeye & Upr. Spruce

West Corrected between Sec. 8 & 17

10.74 an Ash 36 in. dia.

39.75 set g. sec. port at aver. dist. from which
 a Sugar 36 in. diameter S 59° W 6 M. dist. 8
 a Beech 7 " " " N 86° E 24 " "

64.78 a Do 20 " "

79.50 to sec. cor.

North between Sec. 7 & 8

18.30 a Hickory 18 in. dia.

40.00 set g. sec. port from which

a Beech 30 in. diameter N 25° E 19 M. dist. 8

a Do 10 " " " S 25° W 18 " "

50.38 a Do 18 " "

80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a Beech 9 in. diameter S 55° E 3 M. dist. 8

a Dogwood 5 " " " N 34° W 22 " "

Sand level 3^d rate, timber Beech, Ash, Oak &
 Hickory; Upr. Spruce, Ash &c.

East on Random between Sec. 5 & 8

40.00 set temp. g. sec. port

46.50 a Brook 10 M. wide corner S

81.28 Intersect N. S. line 10 M. S. of port -

T. 12 N., R. 6 E. 2. Mer. Ind.?

Land level 3^d rate, timber Ash, Beech, Oak &
Upr. Spice, Water Beech &

West Connected between Sect. 5 & 8

40.00 an Ash 15 in. dia.

40.04 set of sec. post at aver. dist. from which
an Ash 15 in. dia. bears N 31° W 13 lbs. dist. 8
a Do 12 " " " S 48° E 11 " "

68.33 an Elm 24 " "

81.28 to sec. cor.

West between Sect. 6 & 7

40.00 set of sec. post from which

a Beech 26 in. dia. bears N 72° W 26 lbs. dist. 8

an Ash 14 " " " East 3 " "

45.76 a Gum 20 " "

80.00 Intersect W. Boundary at post -

Land level 3^d rate, timber Beech, Oak, Ash, Hickory
& Upr. Spice, Ash, Water Beech &

North between Sect. 5 & 6

16.26 an Elm 20 in. dia.

40.00 set of sec. post from which

a Beech 15 in. dia. bears S 84° E 8 lbs. dist. 8

an Iron w. bush 3 " " " S 70° E 7 " "

59.75 a R. Oak 30 " "

75.20 Intersect N. Boundary 130 lbs. W. of post -

set post at intersection cor. of sec. 5 & 6 from which

a Hickory 10 in. dia. bears N 36° E 34 lbs. dist. 8

a Do 15 " " " S 53° W 34 " "

Land level 3^d rate, timber Oak, Beech, Hickory, Elm,
Ash & Upr. Spice, Ash, Water Beech &

Surveyed by Abraham Lee, Dep. Surveyor.
October 12. 1819

I certify that the foregoing transcript of Field
Notes of the Survey of Township N^o. 12 North, in
Range N^o. 6 East of the 3^d. Principal Meridian, in
the State of Indiana, has been compared with the
original on file in this office and found to be correct.
Surveyor General's Office,
Cincinnati, April 22, 1842 } E. P. Raine
Sur. Genl.